



**裕實工程有限公司**  
Yue Po Engineering Company Ltd.

Address 1/F, NEW CITY CENTRE, 2 LEI YUE MUN ROAD,  
KWUN TONG, KOWLOON, HONG KONG  
Tel 852 2717 1373  
Fax 852 2772 7694  
Webiste www.yuepo.com.hk  
Email yuepo@yuepo.com.hk



**建宏國際有限公司**  
YPT International Ltd.

Address 1/F, NEW CITY CENTRE, 2 LEI YUE MUN ROAD,  
KWUN TONG, KOWLOON, HONG KONG  
Tel 852 2723 2168  
Fax 852 2739 7576  
Webiste www.ypt.com.hk  
Email ypt@ypt.com.hk

# Thermal Pro

*Catalogue.*

## Thermal Pro

Catalogue.

all dedicated to satisfying the individual needs



a series of warming and holding

All information or specification subject to change by Yue Po Engineering Co Ltd. at any time without prior notice.



# Thermal Pro

A Series of Warming and Holding Solutions


## MEETING YOUR NEEDS

In order to effectively and efficiently deliver food from the chef to the diner, it is essential for a restaurant to have a series of warming and holding solutions, as well as transportation equipment. Thermal Pro offers everything from food warming carts to heat lamps, providing all the necessary equipment to transport food from the kitchen to the dining table. By using Thermal Pro, you can ensure that your food is always served hot and delicious.



# Thermal Pro

dedicated to satisfying individual needs



# Banquet series

## OUR PROFESSIONALISM

To efficiently serve a large quantity of hot food from kitchen to the diner, a Banquet Trolley is essential for maintaining the food's optimal temperature. Thermal Pro Banquet Trolley and Cart offers a range of sizes to accommodate various needs.



BCR-121

# Trolley & Cart

CODE	DIMENSION(MM)	ELECTRIC (KW)	SHELVING SIZE & QTY	NO. OF GN 2/1
BCH-5R	1035 x 720 x 1200	2	840 x 540mm ; 5	-
BCH-7R	960 x 680 x 1200	2	764 x 500mm ; 7	-
BCH-10	580 x 740 x 1250	1.45	-	10
BCH-15	580 x 740 x 1550	1.45	-	15
BCH-20	970 x 740 x 1250	1.45	-	20
BCH-30	970 x 740 x 1550	1.45	-	30
BCH-161	850 x 850 x 1760	1.45	-	16
BCH-161X	820 x 910 x 1760	1.45	-	16
BCR-121	850 x 850 x 1760	0.4	-	12
BCR-121X	820 x 910 x 1760	0.4	-	12



Patented hidden door design for space saving



Recess cart handle design for anti-collision



Voltage  
220V

## FEATURES

- Powerful fan-circulated heating and cooling system, uniform temperature
- Environmental friendly foaming process with excellent thermal insulation
- Built-in water pan, keep the food fresh and delicious as well as maintaining the food humidity
- Disappearing door design, space-saving



BCH-161  
Disappearing Door



BCH-161X  
Stationary Door

# Mobile

## heated plate dispenser

A warm plate is essential to avoid the food rapidly cool down on a cold plate. Thermal Pro mobile heated plate dispenser provides you a hot plate wherever you need.



PD2-730



PD2-920

CODE	DIMENSION (MM)	ELECTRIC (KW)	PLATESIZE (MM)	CAPACITY (PCS)
<b>2 HEADS</b>				
PD2-730	460 x 730 x 1000	0.8	Ø240	40 x 2
PD2-920	530 x 920 x 1000	0.8	Ø255- Ø305	40 x 2
<b>4 HEADS</b>				
PD4-730	790 x 730 x 1000	1.6	Ø240	40 x 4
PD4-920	950 x 920 x 1000	1.6	Ø255- Ø305	40 x 4



Our warmer is well equipped with heavy duty springs to sustain the heavy load of plates

Bumpers on all corners for shock absorption

# Warm series

## OUR PROFESSIONALISM

At Thermal Pro, we specialize in providing high-quality temperature preservation equipment that is suitable for a variety of dining conditions and different kinds of food. Our products are designed to distribute heat evenly, maintain the humidity and taste of your dishes.

# Thermal Pro

dedicated to satisfying individual needs



# Commercial Microwave Oven

Thermal Pro Microwave Oven is a convenient option for quickly heating up food. With various settings and power levels, it can accommodate a variety of dishes. It's a must-have for any kitchen looking for a reliable and efficient way to heat up food.

## FEATURES

- Frequency conversion, automatically adjust output power to save energy
- Three cooking modes, micro-adjust the power and time
- Support USB data access, can store up to 297 recipes

CODE	DIMENSION (MM)	ELECTRIC (KW)	CAPACITY (L)
P18-LA	420 x 515 x 338	2.8	18



10 level power control



Vent baffle for safety concern



P18-LA



# Infrared Strip Heater

To keep food hot before and during plating, use the Thermal Pro infra red strip heater for extended plating time. This will ensure that the food remains hot and ready for serving.

## FEATURES

- Optional C-leg stand for converting into table top items
- Recommended mounting height: 8"~11"



Remote Control Box: Come with power knob in 1m wire for remote setting



C-Legs: For converting heaters into table top items height: (450mm H)



Voltage 220V



Single Version: Single Heater w/ illumination



DUAL Version: Dual Heater w/ illumination



Classic Version: Single Heater

CODE	DIMENSION(MM)	HEATER LOADING(KW)	BULB LOADING(W)	SINGLE HEATER	DUAL HEATER	ILLUMINATION
OFW-24	610 x 152 x 67	0.5	-	✓	-	-
OFW-30	762 x 152 x 67	0.65	-	✓	-	-
OFW-36	914 x 152 x 67	0.8	-	✓	-	-
OFW-42	1066 x 152 x 67	0.95	-	✓	-	-
OFW-48	1220 x 152 x 67	1.1	-	✓	-	-
OFW-54	1372 x 152 x 67	1.3	-	✓	-	-
OFW-60	1524 x 152 x 67	1.5	-	✓	-	-
OFW-30L	762 x 250 x 67	0.65	15	✓	-	✓
OFW-36L	914 x 250 x 67	0.8	15	✓	-	✓
OFW-42L	1066 x 250 x 67	0.95	15	✓	-	✓
OFW-48L	1220 x 250 x 67	1.1	20	✓	-	✓
OFW-54L	1372 x 250 x 67	1.3	20	✓	-	✓
OFW-60L	1524 x 250 x 67	1.5	25	✓	-	✓
OFW-30DL	762 x 400 x 67	1.3	15	-	✓	✓
OFW-36DL	914 x 400 x 67	1.6	15	-	✓	✓
OFW-42DL	1066 x 400 x 67	1.9	15	-	✓	✓
OFW-48DL	1220 x 400 x 67	2.2	20	-	✓	✓
OFW-54DL	1372 x 400 x 67	2.6	20	-	✓	✓
OFW-60DL	1524 x 400 x 67	3	25	-	✓	✓

# Decorative Heated Lamp

Hot dishes are always essential to keep hot in all occasions, Thermal Pro decorative heated lamp can plate the dishes as well as enhancing the interior design.

## FEATURES

- Custom fixed cord length is available upon request
- Custom cord color on request, with MOQ requirement



Equipped with adjustable cord



Fixed code version  
Custom size available  
Specify when ordering  
Standard : <2m, black cord



SHADE SIZE (MM)	DD-A	DD-B	DD-C	DD-D	DD-E	DD-F	DD-G	DD-H	DE-A	DE-B	DE-C
175	175	270	290	290	240	190	190	150	150	240	
LENGTHRANGE(CM)*	60-180								73-249		
Red	✓	✓	✓	✓	✓	✓	-	-	✓	✓	✓
Blue	✓	✓	✓	✓	✓	✓	-	-	-	-	-
Matt Black	✓	✓	✓	✓	✓	✓	-	-	✓	✓	✓
Copper	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Shinny Gold	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-
White	-	-	-	-	-	-	-	-	✓	✓	✓
Sliver	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-
Brass	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-

\* Refers to the length between the bottom of shade and top of the mounting cap



# Regeneration Cabinet

A delicious hot lunch can always regenerate your long working day. Thermal Pro Regenerate Cabinet steam reheat the lunch boxes in a healthier way.

## FEATURES

- Tempered glass design for easy observation (Ultra clear glass door option available)

Voltage	Counter Top	Upright
	220V	380V

Water Inlet/Outlet	Manual	DN15
	DN15	DN15



Discover more



FW1-176A

FW1-081

Manual water inlet and outlet (Counter top model only)

360° steam outlet for evenly heat distribution

CODE	DIMENSION(MM)	ELECTRIC (KW)	SHELVING (SIZE&QTY)
<b>COUNTER TOP</b>			
FW1-081	640 x 600 x 810	2.5	486 x 500mm ; 2
FW1-081A	640 x 600 x 810	2.8	486 x 500mm ; 2
<b>UPRIGHT</b>			
FW1-155	640 x 600 x 1550	7	486 x 500mm ; 6
FW1-155A	640 x 600 x 1550	7.85	486 x 500mm ; 6
FW1-176	640 x 600 x 1760	7	486 x 500mm ; 8
FW1-176A	640 x 600 x 1760	7.85	486 x 500mm ; 8

# Puff Holding Cabinet

Thermal Pro Puff Holding Cabinet is perfect for keeping the pastries fresh and warm until served. The cabinet is designed to maintain the optimal temperature and humidity level, ensure that they stay delicious and flaky. It's a must-have for any bakery or restaurant to serve top-quality pastries.

## FEATURES

- Tempered glass design for easy observation

CODE	DIMENSION(MM)	ELECTRIC (KW)	SHELVING (SIZE & QTY)
UC-8261	820 x 628 x 725	2.58	595 x 510mm ; 3
UC-9171	920 x 727 x 725	2.58	701 x 608mm ; 3



Digital temperature and timer control



Adjustable shelving



UC-8261

# Heated Display Cabinet

Thermal Pro Heated Display Cabinet utilizes ventilation hot air to keep food hot and crispy. Glasses display window provides a clear view of dishes, keeping them ready until they are served.

## FEATURES

- Ventilation fans at the top, back and side for cooling down the control box
- Aluminum housing with tempered glass side panel for 360° full view display
- Built-in 4-tier racks holding or rotary pizza display rack

CODE	DIMENSION (MM)	ELECTRIC (KW)	MAX TEMPERATURE
FOTM-80B	470 x 470 x 730	1.4	80°C
FOTM-80BX	470 x 470 x 730	1.4	80°C



Hot air diffusers for evenly heat distribution



Manual water refill cap for humidity adjustment



Voltage 220V



FOTM-80B Rotatory Rack



FOTM-80BX Stationary Rack



# Chocolate Tempering Machine

When tempering the chocolate, it's crucial to maintain at the desired temperature and gives chocolate a smooth and glossy finish. The Thermal Pro Chocolate Tempering Machine regulates the temperature and enables to pre-crystallise the cocoa butter in the chocolate.

## FEATURES

- User friendly design with precise interface
- Fully automatic micro-controller with forced air
- Equipped with overheat protection device for safety (130°C)


CODE	DIMENSION (MM)	ELECTRIC (KW)	GN SIZE & QTY
BM-3543CT	350 x 432 x 208	0.16	GN 1/3 ; 4"H ; 2



Fit for different combinations of GN pans



Forced air heating system for evenly heat distribution




Voltage 220V



20-45°C  
Operation Temperature



BM-3543CT





# Toaster

Having a crispy and fragrant toast in the morning is always a treasure. Thermal Pro Toaster can produce a large amount of toasts while ensuring the best quality.

CODE	DIMENSION (MM)	ELECTRIC (KW)	PRODUCTIVITY(PCS/HR)
<b>CONVEYOR TYPE</b>			
TT-1	389 x 418 x 373	1.9	240
TT-1H	389 x 418 x 373	2.3	370
TT-1HL	389 x 500 x 373	2.85	400
<b>SLOT TYPE</b>			
ETS-4	330 x 285 x 250	1.8	160
ETS-6	465 x 285 x 250	2.5	240



1 Rear discharge crumb tray for operation convenience



2 9-level power control and stand-by mode selection switch - Energy Saving during non-peak hour



TT-1H



1 5 level power control



2 Infra red heating, uniform baking



ETS-4



### FEATURES (TT-1)

- Durable heating elements for consistent heat transfer
- V-shaped redirect heat reflectors for evenly heat distribution
- 79mm chamber opening for broader variety of bread products
- Heavy duty lubricated motor (50/60Hz) ensures reliability & durability



# Bain Marie

To keep the food hot while preventing it from burning, the Thermal Pro Bain Marie is a safe and effective option.

## FEATURES

- Superior heating elements for heavy duty usage
- Equipped with overheat protection device for safety (270°C)

## ACCESSORIES OPTIONS



BM-101: 3nos GN 1/3 pan with cover

BM-102: 2nos 7" soup pot with cover and holder

BM-103: Noodle shelf with 4nos of noodle strainer

BM-104: 2nos 9 grids divider

DM-105: Dimsum steam plate

CODE	DIMENSION (MM)	ELECTRIC(KW)	CUT OUT SIZE (MM)
BM-5737ESD	570 x 370 x 267	2	-
BM-5737EVD	370 x 570 x 267	2	-
BM-5737EBD	570 x 370 x 230	2	530 x 330



Two power modes: Full power mode and energy saving



Manual drainage valve



# Induction Soup cooker

Hot soup is always a great appetizer to start a meal. Thermal Pro induction soup cooker can keep your soup hot and boiling enable to serve the customer better.

## FEATURES

- Superior heating elements for heavy duty usage
- Equipped with overheat protection device for safety (270°C)



CODE	DIMENSION(MM)	ELECTRIC (KW)	SOUP POT SIZE (MM)
<b>COUNTER TOP</b>			
BM1-290	360 x 330 x 354	1.3	11Qt
BM2-290	630 x 330 x 354	1.3 x 2	11Qt x 2
<b>BUILT-IN</b>			
BM1-290B	360 x 330 x 300	1.3	11Qt
BM2-290B	630 x 330 x 300	1.3 x 2	11Qt x 2



With the aid of induction warmer, heat up time is effectively shown to reduce heat up time



# Electric Heated Shelves

Thermal Pro Electric Heated Shelves can keep your favorite dishes delicious and warm on a buffet table. They come in various sizes and materials to satisfy your needs.

## FEATURES

- Suitable for various material containers: ceramic, glass, metals or etc
- Fully heated surfaces for flexibility
- No ventilation needed
- Equipped with overheat protection device for safety (130°C)




Ceramic glass cooktop for durability



Solid Top Cooktop



Continuous temperature adjustment from 40°C to 100°C



TS-688C



CODE	DIMENSION(MM)	ELECTRIC (KW)	CUT OUT SIZE (MM)
<b>CERAMIC GLASS W S/S FRAME</b>			
TS-688C-G	369 x 369 x 75	0.2	352 x 352
TS-800C-G	800 x 369 x 75	0.4	785 x 352
<b>FULL CERAMIC GLASS</b>			
TS-688CX-G	340 x 340 x 75	0.2	343 x 343
TS-800CX-G	768 x 340 x 75	0.4	773 x 343
TS-16050-G	600 x 500 x 75	0.4	603 x 503
TS-18050-G	800 x 500 x 75	0.6	803 x 503
TS-26050-G	1200 x 500 x 75	1	1204 x 503
TS-28050-G	1600 x 500 x 75	1.2	1604 x 503
TS-36050-G	1800 x 500 x 75	1.4	1805 x 500
<b>SOLID TOP - 400 SERIES</b>			
TSB-0804	800 x 400 x 100	0.4	775 x 375
TSB-1004	1000 x 400 x 100	0.6	975 x 375
TSB-1204	1200 x 400 x 100	0.8	1175 x 375
TSB-1504	1500 x 400 x 100	1	1475 x 375
TSB-1804	1800 x 400 x 100	1.2	1775 x 375
<b>SOLID TOP - 500 SERIES</b>			
TSB-0805	800 x 500 x 100	0.6	775 x 375
TSB-1005	1000 x 500 x 100	0.8	975 x 375
TSB-1205	1200 x 500 x 100	1	1175 x 475
TSB-1505	1500 x 500 x 100	1.2	1475 x 475
TSB-1805	1800 x 500 x 100	1.4	1775 x 475

# Upright Hot Display Closet

In order to serve a large amount of food hot from the kitchen to the diner, hot Display Closet is needed for holding the food in it's best status. Thermal Pro Upright Hot Display Closet gives you variety of size to suit different needs

## FEATURES

- Powerful fan-circulated heating and cooling system, uniform temperature
- Environmental friendly foaming process with excellent thermal insulation
- Built-in water pan, keep the food humidity, fresh and delicious



control panel



with LED Lights



SS tray



FOT-A06



CODE	DIMENSION(MM)	ELECTRIC (KW)	CUT OUT SIZE (MM)
<b>HOT AIR CIRCULATION</b>			
FOT-A06	600 x 600 x 1800	2.1	35-80°C
FOT-A10	1000 x 600 x 1800	2.8	35-80°C
FOT-A12	1200 x 600 x 1800	4.2	35-80°C
<b>HOT / COLD</b>			
tba	600 x 600 x 1800	tba	tba
tba	1000 x 600 x 1800	tba	tba
tba	1200 x 600 x 1800	tba	tba
<b>FROZEN</b>			
tba	600 x 600 x 1800	tba	tba
tba	1000 x 600 x 1800	tba	tba
tba	1200 x 600 x 1800	tba	tba

